


W30SD SUPER DUTY


Your Best Choice in
Small Line Grout
and Concrete Pumps



WESTERN

The Western W30 Super Duty was designed tough and held to the highest standards of quality. It comes with all the best features at no extra cost making it the most productive and cost effective pump in it's class.





DESIGNED TO DELIVER MAXIMUM PRODUCTIVITY IN ALL IT'S USES

The W30SD pumps 1/2 inch (-12mm) minus aggregate up to 25 yards per hour and was engineered with the contractor in mind. All it's components are of made of the highest quality materials and engineering designed to last while providing you consistent results.

It is equipped with powerful dependable engines (Diesel or Gasoline) and a heavy duty centrifugal clutch. It also uses the hinged manifold locking system, a centralized lubrication system and piston lubricating box which allows smoother pumping, easier clean-up, faster set-up and higher dependability.




**Heavier duty
heat-treated billet
steel crankshaft**

- ✓ Masonry grouting
- ✓ Decks & Patios
- ✓ Shotcrete
- ✓ Columns
- ✓ Footings
- ✓ Swimming pools
- ✓ Slope stabilization
- ✓ Lining (Ditch,
Reservoir, Channel)
- ✓ Vault construction
- ✓ Foundations
- ✓ Slabs & Basements
- ✓ Piling
- ✓ Grout
- ✓ Slurries
- ✓ Slab jacking

...Much more!

SPECIFICATIONS



Pump Design.....	Reciprocating Piston Valve.....
Maximum Aggregate Size.....	1/2 inch Minus (12mm)
Pumping Rate*.....	25cu. yds. Per Hour
Horizontal Pumping Distance*.....	400 feet (125 m)
Vertical Pumping Height*.....	100 feet (30 m)
Outlet Size.....	3 inches HD (76 mm)
Cylinder Diameter.....	6 inches (153 mm)
Cylinder Length.....	12 inches (305 mm)
Gas Engine.....	Wisconsin VH4D 30hp
Diesel Engine.....	Hatz 2M41Z 37hp
Fuel Capacity.....	18 gallons (68 liters)
Hopper Height.....	50 inches (1.27 m)
Hopper Capacity.....	6 cubic Feet (170 liters)
Length.....	145 inches (3.68 m)
Width.....	60 inches (1.52 m)
Height.....	63 inches (1 m)
Weight**.....	2660 lbs. (1208kg)
Tire.....	14 inches
Remote Control.....	250 feet of cable

The wedge style manifold locking system with fixed stop pins swings open and doesn't require any special tools for disassembly. This allows you to service, clean and maintain it with a minimum down time helping you reach maximum productivity.



* These figures will vary due to mix design, line size and job conditions.
 ** Varies depending on options selected.
 All specifications and features are subject to change without notice.

Your Western dealer is:



FONTANA, CA
 PHONE (909) 350-3366
 FAX (909) 350-3342
www.westernmanufacturing.net